

Product Catalogue

Table of Contents

Rural Products

Sheep Yard & Gates

Cattle Yard & Gates

Rural

Miscellaneous

SHEEP YARD POST

Galv post with lugs
40 x 40 X 1.6MM 1.6mH

CODE	DIMENSIONS	Weight
SYP	40*40*1.6mH Galv Post with lugs	4.6 KG



SHEEP YARD LOADING RAMP

Adjustable Ramp – comes flat packed,
Up to 3242 high 2350 long, 550 wide.
Tubes 60*60 & 40*40
With side galvanised sheet & galvanised foot-board.



CODE	DIMENSIONS	Weight
SYLR	3242mm H*2350mmL*550mm W; Tubes 60*60 & 40*40	245 KG

3WAY DRAFT GATE WITH V RACE

V Race – 2 sheeted panel 1.1m high & 2m long, sheeted panel adjustable,
2 Small Panel gates – 1.1m high & 0.85m wide, plus 2 main gates with handrail –
1.1m high & 1.0m wide
Total of 3.0m long 0.85 wide with lugs & pins
Vertical tube:40*40 stiles, 1.6mm Thick
Horizontal rail: 30*60 rails with welded caps, 1.6mm thick * 6 Oval
Lugs & Flat Feet
Pins also supplied



CODE	DIMENSIONS	PRICE
SY3DG	1.1m H*3.0m L*0.85m wide with lugs & pins	130KG

3-Way Draft Gate (Only)

2 main gates with handrail – 1.1m high & 1.0m wide
 1 small panel gate 1.1m high & 0.85m wide
 Vertical Tube: 40mm x 40mm stiles, 1.6mm Thick
 Horizontal rail 30mm x 60mm rails with welded caps, 1.6mm thick x 6 Oval
 Lugs & Flat Feet
 Pins also supplied



CODE	DIMENSIONS	WEIGHT
SYSADG		180KG

--	--	--

--	--	--

SHEEP YARD GATE

Vertical Tube: 40mm * 40mm stiles, 1.6mm Thick
 Horizontal Rail: 30mm* 60mm rail 1.6mm thick * 6 Oval



CODE	DIMENSIONS	WEIGHT
SYG1000X2070	1000mm * 2070mm	32.2KG

--	--	--

--	--	--

--	--	--

SHEEP YARD RACEBOW

CODE	DIMENSIONS	WEIGHT
SYG1000X2070	1000mm * 2070mm	32.2KG

--	--	--

--	--	--

--	--	--

SHEEP YARD PANEL

Vertical Tube: 40*40 stiles, 1.6mm Thick

Horizontal rail: 30*60 rails with welded caps, 1.6mm thick * 6 Oval

Lugs & Flat Feet

Pins also supplied

CODE	DIMENSIONS	WEIGHT
SYP1000X2070	1000mm*2070mm	24.8KG
SYP1000X2800	1000mm*2800mm	32.2KG



SHEEP YARD BLIND PANEL

1.0m high x 2.07m long, 1.0m

Round pipes: 25mm O.D or 32 mm O.D pipes

Square tubes: 25x25mm RHS or 40x40mm RHS

Oval rails: 30x60mm

With Welded caps & lugs and flat feet

Pins also supplied



CODE	DIMENSIONS	WEIGHT
SYBRP	1.0mH x 2.07m L, 1.0m	31 KG

SHEEP YARD MESH

CODE	DIMENSIONS	WEIGHT
SYM609	150x100x5mm, 6mx900mm	15KG
SYM6011	150x100x5mm, 6mx1100mm	18KG



SHEEP YARD MESH ROLL

CODE	DIMENSIONS	WEIGHT
SYP3011	150x100x5mm, 30mtr x 1100 high	90KG



WELD MESH GALV

CODE	DIMENSIONS	WEIGHT
WMG2400X1200	25x25x2.5mm; 50x50x3.15mm; 100x100x3.15mm	
WMG3000X2400	25x25x3.15mm; 50x50x4mm; 75x50x4mm 100x100x5mm	



CATTLE SLIDING GATE

2050H x 1060W Internal Width 750
 Pulley – 3 sets per door
 Handle 32mm tube
 6 Rail of 40x80 with rail evenly spaced
 Welded Lugs & Pins

CODE	DIMENSIONS	WEIGHT
CYSG	2050H X 1060W (INTERNAL 750W)	70KG



HAY FEEDER

CODE	DIMENSIONS	WEIGHT
CYHF-R	2m Diameter x 1.06m H	



CATTLE CRUSH (VET VERSION)

Cattle Crush, Vet Rated, Rear Handle Operation, internal width 750mm, overall length 3m, 4 doors on the operating side and no doors on the other side. The Vet Crush is ratchet operation and is supplied as flat pack (Head able, 2 sides, slide gate, both on ratchet and bolt on operating handle).

Spec:

3000mm long, 2200mm high, Outside 850mm wide

Vertical Tubes 50x50x2

Horizontal Rail 115x42x2

One set includes 1 head bail, 2 sides & 1 sliding gate

CODE	DIMENSIONS	WEIGHT
CYC VET VERSION	AS ABOVE	525KG



CATTLE YARD PANEL

1.8m H x 2.1m W

Square tubes: 50x50 mm RHS, thickness 1.6mm

Over rails: 40x80mm

With welded caps & lugs and flat feet

Pins also supplied

CODE	DIMENSIONS	WEIGHT
CYP1800X2070	AS ABOVE	38KG

BARB WIRE


CODE	DIMENSIONS	WEIGHT
BWG157		24.7KG
BWG157HT	Best used for farm fencing	24.7KG
BWG180		30KG
BWG180	Best used for farm fencing	30KG



GATES

Wire diameter:5mm
 Mesh Opening: 100*200mm
 Frame Pipe:32mm*2mm
 Height:1170mm

CODE	DIMENSIONS	WEIGHT
GA - I STAY		
GAN - N STAY	750 mm (3')	8KG
	2400 mm (8')	20KG
	3000 mm (10')	22KG
	3600 mm (12')	29KG
	4200 mm (14')	31KG
	4800 mm (16')	38KG



FG9 Heavy Duty Pack

Screw-in 12mm latch and catch
 Top through-post strap 16mmx300mm thread length including backing plate
 Bottom through-post gudgeon 16mm x 300 xx thread length (all nuts and washers included)

CODE	DIMENSIONS	WEIGHT
GAPK		2.9KG



FENCING FITTINGS

PCS

CODE	DIMENSIONS	WEIGHT
SAD3825		
J3825		
PCS		



DROPPERS BLACK & DROPPERS GALV

10 Pack Black

10 Pack Galvanised

CODE	DIMENSIONS	WEIGHT
DR	1350 mm (4'6")	26.1KG
DR	1500 mm (5')	29KG
DR	1650 mm (5'6")	31.9KG
DR	1800 mm (6')	34.8KG
DRG	1350 mm (4'6")	31.9KG
DRG	1500 mm (5')	34.8KG



Product 14 MIG WIRE 0.9mm & 1.2mm

CODE	DIMENSIONS	WEIGHT
MIG9	0.9mm	
MIG12	1.2mm	



Product 23 WELDING RODS

CODE	DIMENSIONS	WEIGHT
WR25GP	2.5mm	
WR32GP	3.2mm	



Product 26 MAX-LOC FENCING

200M

WIRE/HEIGHT/DROPPER SPACINGS

Smooth knot both sides.

No sharp edges to cause injury to animals

Knot design resists slipping along either picket or line wires

All wires 2.50mm Standard Galvanised High Tensile

CODE	DIMENSIONS	WEIGHT
ST6/70/30	6/70/30, 200M	68KG
ST6/90/30	6/90/30, 200M	73KG
ST7/90/30	7/90/30, 200M	81KG



Product 27 HIGH TENSILE WIRE

High tensile galv wire 2.5mm 1500m rolls
Tensile 130kg/m²

CODE	DIMENSIONS	WEIGHT
HTW2.5	2.5mm, 1500m rolls	58KG

**Product 28 TEMPORARY FENCING**

Temporary Fence Panel with feet and clamp (1 of each per panel)

CODE	DIMENSIONS	WEIGHT
TF		

